

FEAST **W**ATSON®
INTERIOR & EXTERIOR | TIMBER CARE



FOR A BEAUTIFUL FINISH.
www.feastwatson.co.nz



CONTENTS

Introduction		P 2
Stain & Varnish	Premium timber varnish blended with stain for one-step colour and protection.	P 3
Clear Coats	Oil finishes to protect timber surfaces.	P 4
Clear Floor Finishes	Hard wearing clear finishes to protect floors.	P 5
Oils	Hard drying, nourishing oils to beautify and protect timber.	P 6-7
Speciality Oils	Oils with added water repellence for surfaces that need extra protection such as outdoor furniture and cedar cladding.	P 8-9
Timber Clear Coat	Varnishes that preserve timber with a clear protective layer.	P 10
Stains	Rich colour to transform the look of timber whilst maintaining its natural grain.	P 10
Product Guide		P 12

Professional timber finishes

We love timber. It has been used for thousands of years for buildings, furniture and decoration and it continues its popularity today because of its versatility, its warmth, its character and its natural beauty.

Enhancing and preserving the natural beauty of timber has been Feast Watson's aim since our beginnings in Sydney in 1922. We've grown by innovating new products with advanced UV and weather resistance, durability and ease of application. Each product in this guide is designed to give a long-lasting, beautiful finish to timber.

Feast Watson products are the choice of discerning woodcare enthusiasts who share our love of timber. Our range of finishes and colours enables you to get the perfect effect for every timber project.

For further information about Feast Watson products or their application, please call our Customer Service Team, on 0800 222 687 or visit our website www.feastwatson.co.nz

STAIN & VARNISH



Stain & Varnish

A traditional timber stain combined with a professional clear polyurethane for one-step timber colour and protection. Stain & Varnish adds rich colour to timber and preserves the stain by protecting it with a highly durable clear finish. Designed with superior clarity, Stain & Varnish enhances the natural characteristics of the timber grain and transforms interior furniture and woodwork with rich, classic timber tones. Available in gloss or satin finish.

Uses:	All interior woodwork including furniture, trim, panelling, window frames, skirting boards and doors. Not suitable for flooring.
Coverage:	10-12m ² per litre
Recoat:	12 hours
Dry:	24 hours
Clean up:	Mineral turpentine
Pack size:	250ml, 1L



One Coat	Two Coats
Rich Jarrah	Rich Jarrah
Black Japan	Black Japan
Chocolate Walnut	Chocolate Walnut
Aged Teak	Aged Teak

Colours shown in Gloss finish on Radiata Pine. Also available in Satin Finish.

TIP: Three coats are required to ensure the timber is protected. If the desired colour is achieved with the first coat, complete the following coats with a clear varnish as additional coats of Stain & Varnish will intensify the colour.

CLEAR COATS



Kitchen Timber Oil

Kitchen Timber Oil contains clear natural tung oil for nourishing and protecting timber benches, cutting boards, salad bowls and all interior timber. When Kitchen Timber Oil is dry, it gives a natural matt finish that is resistant to water and spills. Kitchen Timber Oil can be easily maintained as the timber starts to show signs of drying out; there's no need to sand the surface, maintenance coats can just be wiped on once surface is clean and dry.

Uses:	Ideal for all interior timber including benchtops, cutting boards, furniture, cabinetry and timber trim.
Coverage:	10-12m ² per litre
Recoat:	24 hours
Dry:	24 hours
No of coats:	2 (or more, dependent on density of wood & desired finish).
Clean up:	Mineral turpentine
Pack size:	1L



TIP: Ensure Kitchen Timber Oil has thoroughly dried before exposing to foods. Normal drying time is at least 24 hours, however in cold or humid conditions it may take several days to fully cure. Test by smelling the surface: when it's fully dry, there will be no odour.

FLOOR FINISHES: CLEAR



Tung Oil

Traditional Timber Oil, Matt Finish. Containing pure tung oil that has been prepared to the perfect consistency for coating interior timber, Feast Watson Tung Oil penetrates deeply to nourish timber resulting in a natural matt finish that can be burnished or waxed if desired. It's quick and easy to apply, and regular maintenance coats can be added very simply, without the need for sanding.

Uses:	Ideal for all interior timber including floors, furniture, architraves and panelling.
Coverage:	10-12m ² per litre
Recoat:	24 hours
No of coats:	2+
Clean up:	Mineral turpentine
Pack size:	1L, 4L



TIP: **Getting it right** – Thoroughly stir contents taking care to not introduce bubbles, then pour into an open roller tray. Cut in around corners and edges with a brush prior to completing the floors with a Feast Watson Floor Finish Applicator working the length of 3-4 boards at a time in the direction of the grain.



Floorseal Oil

Hardened Tung Oil, Satin finish. Tung oil with added resins to provide additional durability and resistance to wear. Being tung oil based, Floorseal Oil nourishes timber and enhances its natural character with a satin finish. It is perfect for coating new floors, or recoating previously coated timber floors, and it is easily maintained and recoated.

Uses:	Interior timber flooring, and high wear surfaces such as tables and benchtops.
Coverage:	8-12m ² per litre
Recoat:	12 hours
No of coats:	2+
Clean up:	Mineral turpentine
Pack size:	4L, 10L



OILS



As with painting, a beautiful, long lasting finish on timber depends on preparing the surface properly. Before applying any exterior timber coating it is important to remove all the dead timber fibres and surface contaminants that discolour the timber and impede the even absorption of the coating. Feast Watson Woodclean is a powerful, oxalic acid-based preparation treatment that aids the removal of oils, mould, stains and tannins from new and weathered timber.

Ideal for rejuvenating grey, weathered timber, Woodclean is suitable for restoring decking, outdoor furniture, fences, pergolas and other exterior woodwork.

Uses:	Woodclean helps to remove oils and tannins from new timber and rejuvenates grey, weathered timber.
Coverage:	1 litre of Woodclean dilutes to clean approximately 20m ²
Clean up:	Water
Pack size:	1L, 4L



Decking Oil

A hard wearing, semi-transparent timber finish that enhances the natural beauty of timber whilst protecting it from New Zealand's harsh conditions. The rich ingredients in the modified oil formula penetrate deeply to nourish the timber, replicating it's natural defences against the effects of aging. With added water, UV, and mould resistant properties, Decking Oil weathers naturally over time and will not crack or peel.

Decking Oil is convenient to apply as it is fast drying, has low odour and all application equipment can be cleaned up with water. The durable low sheen finish is easy to clean to keep your deck looking good between coats, and future maintenance coats can be applied without complicated preparation or sanding.

Decking Oil is available in 3 pigmented colours, and can be tinted to bring out the colour of your timber.

Uses:	Decking, timber walkways, steps, rails, fences, gates and other exterior timber.
Coverage:	8-12m ² per litre
Recoat:	4 hour
Dry:	12 hours
No of coats:	2-3
Clean up:	Water
Pack size:	1L, 4L, 10L



TIP: GETTING IT RIGHT

New timber: Allow new timber to weather for 4-6 weeks, then clean with Woodclean prior to oiling.

Weathered timber: Scrub grey timber with Feast Watson Woodclean to remove dead timber fibre and dirt prior to coating with oil. Choose a tinted oil to restore the timber colour.

Coated timber: Previously oiled or stained timber can be coated after a few months of weathering. Test by sprinkling water on the timber surface: if the water absorbs into the timber it is ready for coating. Existing paint or coatings that seal the surface need to be removed by sanding or stripping prior to applying Decking Oil.



Jarrah* on Kwila	Kwila* on Kwila	Natural* on Pine
Walnut N on Pine	Oregon N on Pine	Red Cedar N on Pine
Treated Pine N on Treated Pine		

* Pre-packaged colour
N Colour tinted from Natural



TIP: Stubborn stains and grime may require more than one application of diluted Woodclean. To save time, use a higher concentration of Woodclean on these areas.

SPECIALITY OILS



Outdoor Furniture Oil

A protective, penetrating oil that has been formulated to preserve and maintain the natural beauty of outdoor timber furniture. Feast Waston Outdoor Furniture Oil penetrates deeply to enrich the timber with a natural matt finish that is available in clear or natural timber tones. With added eucalyptus oil, it has UV and mould resistant properties and has excellent water resistance.

Uses:	Outdoor timber furniture, including barbecue trolleys.
Coverage:	1 litre should provide two coats for the average 5 piece outdoor setting
Recoat:	12 hours
Dry:	24 hours
No of coats:	2
Clean up:	Mineral turpentine
Pack size:	1L



TIP: UV PROTECTION

Outdoor Furniture Oil Clear is not recommended to withstand direct sunlight. For added UV protection select one of the colour tinted Outdoor Furniture Oils which have higher levels of UV Filters for longer lasting protection.



Wood Shield Oil

Designed to protect rough sawn-timber from weathering, Feast Watson Wood Shield Oil provides maximum water repellence for exterior timber. Wood Shield Oil is perfect for vertical timber surfaces such as rough sawn cedar weatherboards, fences, screens and doors. By deeply penetrating the timber whilst still allowing it to breathe, Wood Shield Oil reduces the timber's tendency to warp and split.

Maintenance coats can be applied easily without the need to strip or sand back the previous coatings. Wood Shield Oil is a lightly pigmented natural coloured oil that gives a matt finish. For a satin or gloss finish Wood Shield Oil can be coated with Feast Watson Weatherproof Varnish.

Uses:	Rough sawn and dressed timber including: cladding, facias, weatherboards, doors, pergolas, gates and fences.
Coverage:	6-10m ² per litre
Recoat:	30 minutes, wet on wet
Dry:	10 hours
No of coats:	2-4 (until timber is saturated)
Clean up:	Mineral turpentine
Pack size:	1L, 4L, 10L




TIP: MATCHING FINISHES

Wood Shield Oil is ideal for use on window frames where the same finish is desired both inside and out. For a higher gloss, dressed timber can be topcoated with Feast Watson Weatherproof Varnish for a satin or gloss finish.



CLEAR COATS



Weatherproof Varnish

Satin & Gloss Marine Grade Timber Varnish. A clear, polyurethane timber finish incorporating maximum UV screening to provide excellent, long lasting protection against the elements. Ideal for where a tough clear satin or gloss finish is required with resistance to sunlight, salt mist, chemicals, oils and solvents. Weatherproof Varnish can also be used on the inside of window frames and external doors, and to give Wood Shield Oil a gloss or satin finish.

Uses:	Exterior woodwork including doors, window frames, trim, panelling, gates and furniture. Also perfect for interior applications.
Coverage:	10-12m ² per litre
Recoat:	12 hours
Dry:	24 hours
No of coats:	3-4
Clean up:	Mineral turpentine
Pack size:	1L, 4L



TIP: **Stirring** - Do not shake cans as this will create air bubbles in the coating. Instead, stir contents thoroughly with a wide, flat bladed stirrer such as a wooden ruler before and during use. Be sure to stir to the bottom of the container with a scooping action.

STAINS



Decking Stain

Get the look you want from all your exterior timber by changing the colour without hiding the timber's natural features. Feast Watson Decking Stain adds colour to timber and will not hide the natural grain. It is ideal for making timber coordinate with house and landscape design, or to renew the colour of grey, weathered timber. With its oil rich formula, Decking Stain protects timber from the destructive effects of weathering. With additives to protect against water, UV and mould, Feast Watson Decking Stain keeps timber looking beautiful for longer. Available in 16 natural timber colours, Decking Stain requires only one coat to achieve a rich, matt finish with no need for a top coat. Highly recommended for Treated Pine.

Uses:	Decking, outdoor furniture, doors, window frames, fences, gates and all exterior timber. Suitable for use over bare timber and weathered penetrating stains.
Coverage:	8-14m ² per litre
Dry:	24 hours
No of coats:	1 (More coats will achieve deeper colour)
Clean up:	Mineral turpentine
Pack size:	4L



TIP: EXTRA COATS

Additional coats of Decking Stain will continue to develop the depth of timber colour. As Feast Watson Decking Stain is semi-transparent, the final colour achieved depends on the thickness of the coating and the colour of the timber being coated. The sample shows one coat on Treated Pine.



Cleaned with Woodclean







with Decking Stain Kwila

Kwila*	Jarrah*	Tallowwood*
Snowgum*	Stringy Gum SG	Cypress Pine SG
Red Cedar TW	Redwood TW	Paper Bark TW
Rustic Brown TW	Silver Birch SG	Smokey Ash SG
Gum Leaf SG	Blue Gum SG	Peacock Blue TW
Charcoal TW		







Colours shown 1 coat on treated pine
* Pre-packaged colour
TW Colour tinted from Tallowwood
SG Colour tinted from Snow Gum

Interior Finishes Feast Watson Product Guide

FEAST WATSON®

	PRODUCT	DESCRIPTION	WHERE TO USE	PREPARATION PRODUCTS	FINISH/ APPEARANCE	APPLY WITH	APPROX. COVERAGE RATE	NUMBER OF COATS	RE-COAT TIME	CLEAN UP WITH	SIZES AVAILABLE
STAINS		Traditional timber stain combined with a highly durable clear polyurethane. Transforms interior furniture and woodwork with rich, classic timber tones	All interior woodwork including furniture, cabinetry, trim, window frames, skirting boards, doors, panelling, architraves, toys etc	-	<ul style="list-style-type: none">• Adds colour & sheen to timber in one-step• Gloss & satin finish	Brush	10 – 12m²/L	1 – 3	12 hours	Mineral turpentine	250ml, 1L
		An easy to use, fast drying oil that penetrates into the timber. Contains genuine tung oil. Ideal for new timber floors	Timber & bamboo kitchen benches, boards, bowls and serving utensils	-	<ul style="list-style-type: none">• Clear natural oiled look• Matt finish	Soft clean cloth	10– 12m²/L	1– 2 (or more)	24 hours	Mineral turpentine	1L
FLOORING		An easy to use, fast drying oil that penetrates into the timber. Contains genuine tung oil. Ideal for new timber floors	Timber and cork flooring, parquetery, timber benches, stairways, handrails, furniture, doors and trim	-	<ul style="list-style-type: none">• Clear natural oiled look• Matt finish	Lambswool applicator, roller, brush, soft clean cloth/ pad (interior woodwork)	10-12m²/L	2	24 hours	Mineral turpentine	1L, 4L
		Tough, flexible, clear, Tung Oil based finish. Easy to maintain and repair. Ideal for new timber floors		-	<ul style="list-style-type: none">• Clear natural oiled look• Satin finish	Brush, lambswool applicator	8 – 12 m²/L	2+	12 hours	Mineral turpentine	4L, 10L

Exterior Finishes Feast Watson Product Guide

	PRODUCT	DESCRIPTION	WHERE TO USE	PREPARATION PRODUCTS	FINISH/ APPEARANCE	APPLY WITH	APPROX. COVERAGE RATE	NUMBER OF COATS	RE-COAT TIME	CLEAN UP WITH	SIZES AVAILABLE
OILS		A hard wearing modified oil that nourishes and protects decking and exterior timber and provides the convenience of fast drying, low odour and easy water wash up	Decks, timber outdoor furniture, pergolas, fences and gates	Woodclean	<ul style="list-style-type: none">• Low Sheen, classic finish• Semi transparent, natural look• Enhances the timber grain	Brush, lambswool applicator	8 – 12m²/L	2 – 3	4 hours	Water	1L, 4L, 10L
		A protective, penetrating oil that has been formulated to preserve and maintain the natural look of outdoor timber settings	Timber outdoor furniture, BBQ trolleys and benches	Woodclean	<ul style="list-style-type: none">• Semi transparent, natural look• Enhances the timber grain• Matt finish	Brush	6 – 10m²/L	2	12 hours	Mineral turpentine	1L
		A semi-transparent timber oil with added waxes for maximum water resistance, perfect for vertical surfaces	Exterior woodwork including weatherboards, cladding, window frames, fascias, pergolas, doors, trim. Ideal for interior window frames and exposed beams	Woodclean	<ul style="list-style-type: none">• Semi transparent pigmented• Natural matt finish• Can be overcoated with Weatherproof Varnish for a gloss or satin finish	Brush, roller, spray	6 – 10m²/L	2 – 4	30 mins 7– 10 days before applying Weatherproof	Mineral turpentine	1L, 4L, 10L
STAINS		Hard wearing, semi transparent penetrating stain that is ideal for changing the colour of timber, or to renew the colour of old weathered timber. Available in 16 colours	Decks and all exterior timber	Woodclean	<ul style="list-style-type: none">• Transforms the colour of timber• Matt finish	Brush, roller, applicator, spray	8 – 14m²/L	1	-	Mineral turpentine	4L
CLEAR		A clear, polyurethane timber finish incorporating UV screening that provides excellent all round timber protection	Outdoor furniture, barbecues, doors, trim, handrails, cabin brightwork, window frames etc	Woodclean Feast Watson	<ul style="list-style-type: none">• Transparent, natural colourless look• Enhances the timber grain• Gloss & satin finish	Brush, roller, spray	10 – 12m²/L	3 – 4	12 hours	Mineral turpentine	1L, 4L
PREPARATION		Cleans and rejuvenates new and weathered timber, and prepares timber for coating by removing dirt, oils, mould, tannins and other contaminants	All exterior timber	-	-	Stiff bristled brush or broom	1 litre of Woodclean dilutes with four litres of water to treat 20 m²/L	1. Severe stains and tannin rich timbers may require a stronger mix or repeat applications	20 mins	Water	1L, 4L

For further information visit www.feastwatson.co.nz
Feast Watson product advice line: 0800 222 687

*Coverage rates are subject to variation between timber species.
Please refer to the application instructions listed on the container before commencing coating.
Note: Due to limitations of the printing process, photographic and printed images may not represent true colours.